



HENQAOSTEEL

CONTACT



Sarah Zeng
Sales Manager sarahzeng@so-lucky.cn
Manager Yu yuhai@so-lucky.cn
Manager Zhou zhoudeyong@so-lucky.cn



Sarah Zeng
Sales Manager +86 134 1873 6687
Manager Yu +86 138 1718 4769
Manager Zhou +86 137 7427 0557



No. 188 Lianshui Road, Baoshan District, Shanghai



恒志于心 出谷成乔



SOLUCKY STEEL LIMITED

BUSINESS SCOPE

- Import and export of goods;
- Technology import and export;
- Sales of metal materials;



COMPANY PROFILE

So-Lucky Steel is a third-party supply chain of steel, stainless steel, aluminum to the automotive, appliance & industrial products industries.



We are a steel sales, storage, machining, and transport integration enterprise

We know OEM material standards well, providing material distribution for global customers

We also focus on tryout materials for automotive metal stamping tools



Annual Sales Qty

80,000 TON



Annual Turnover

US\$11.3Million



Annual Machining Qty

200,000 TON

WHY SO-LUCKY STEEL?

FLEXIBILITY

MOQ only 200KG, Sheet/Coil

STABILITY

**Long-term & stable material Inventory,
Wide variety of material types & specifications**

QUALITY

100% quality guarantee, supporting the third-party inspection

SERVICE

**Fast Response, Fast shipping & Fast delivery
Well-appointed machining equipments, Own logistics**

MISSION

Being your trusted steel expert





PRODUCT INTRODUCTION



**People-oriented,
integrity and integrity
and enterprising,
unity and cooperation
Results-oriented,
continuous improvement**





BMW standard section galvanized:

GS93032-3 CR1810F-G150/50-U
GS93032-3 CR2101F-G150/50-U
GS93032-3 CR2401A-G150/50-U
GS93032-3 CR1808H-G150/50-U
GS93032-3 CR2108H-G150/50-U
GS93032-3 CR2408H-G150/50-U
GS93032-3 CR2808H-G150/50-U
GS93032-3 CR2101A-G150/50-U
GS93032-3 CR2401A-G150/50-U
GS93032-3 CR2701A-G150/50-U
GS93032-3 CR3001A-G150/50-U
GS93032-3 CR3401A-G150/50-U
GS93032-3 CR3801A-G150/50-U
GS93032-3 CR4201A-G150/50-U
GS93032-3 CR3001A-G150/50-U
GS93032-3 CR3401A-G150/50-U
GS93032-3 CR3801A-G150/50-U
GS93032-3 CR4201A-G150/50-U
GS93032-3 CR4601A-G150/50-U
GS93032-3 CR5001A-G150/50-U
GS93032-3 CRH501440T-DP-G150/50-U
GS93032-3 CR4901490T-DP-G150/50-U
GS93032-3 CR4901490T-DP-G150/50-U
GS93032-3 CR4901780T-DP-G150/50-U
GS93032-3 CR700Y980T-DP-G150/50-U
GS93032-3 CR330Y580T-DP-G150/50-U
GS93032-3 CR400Y690T-TR-G150/50-U
GS93032-3 CR570Y780T-CP-G150/50-U
GS93032-3 CR660Y780T-CP-G150/50-U
GS93032-3 CR660Y760T-CP-G150/50-U
GS93032-3 CR9501200T-MS-G150/50-U
GS93032-3 CR900Y1180T-MS-G150/50-U









GS93032-3 HR300MC
GS93032-3 HR340MC
GS93032-3 HR380MC
GS93032-3 HR420MC
GS93032-3 HR460MC
GS93032-3 HR500MC





PRODUCT INTRODUCTION

MBN series		Ford		WSS series		TESLA		WSS series			
	奔驰标准部分冷轧: MBN11251-CR210LA MBN11251-CR240LA MBN11251-CR270LA MBN11251-CR300LA MBN11251-CR340LA MBN11251-CR380LA MBN11251-CR420LA MBN11251-CR460LA MBN11251-CR290Y490T-DP MBN11251-CR330Y590T-DP MBN11251-CR440Y780T-DP MBN11251-CR590Y980T-DP MBN11251-CR700Y980T-DP MBN11251-CR180BH MBN11251-CR210BH MBN11251-CR240BH MBN11251-CR280BH MBN11251-CR160IF MBN11251-CR180IF MBN11251-CR210IF MBN11251-CR240IF MBN11251-HR500LA MBN11251-HR460LA MBN11251-HR420LA MBN11251-HR340LA MBN11251-HR300LA		奔驰标准部分镀锌: MBN11251-MBN11251-CR240LA G170/70 U CR210LA G170/70 U MBN11251-CR270LA G170/70 U MBN11251-CR300LA G170/70 U MBN11251-CR340LA G170/70 U MBN11251-CR380LA G170/70 U MBN11251-CR420LA G170/70 U MBN11251-CR460LA G170/70 U MBN11251-CR210LA G150/50 U MBN11251-CR240LA G150/50 U MBN11251-CR270LA G150/50 U MBN11251-CR300LA G150/50 U MBN11251-CR340LA G150/50 U MBN11251-CR380LA G150/50 U MBN11251-CR420LA G150/50 U MBN11251-CR460LA G150/50 U MBN11251-LAC210Y310T-G170/70 U MBN11251-LAC240Y320T-G170/70 U MBN11251-LAC270Y340T-G170/70 U MBN11251-LAC300Y360T-G170/70 U MBN11251-LAC340Y410T-G170/70 U MBN11251-LAC380Y450T-G170/70 U MBN11251-LAC420Y480T-G170/70 U MBN11251-LAC500Y560T-G170/70 U MBN11251-HR340LA G150/50 U MBN11251-HR380LA G150/50 U MBN11251-HR420LA G150/50 U MBN11251-HR460LA G150/50 U MBN11251-HR500LA G150/50 U MBN11251-CR290Y490T-DP G150/50 U MBN11251-CR330Y590T-DP G150/50 U MBN11251-CR440Y780T-DP G150/50 U MBN11251-CR590Y980T-DP G150/50 U MBN11251-CR700Y980T-DP G150/50 U MBN11251-CR180BH G150/50 U MBN11251-CR210BH G150/50 U MBN11251-CR240BH G150/50 U MBN11251-CR280BH G150/50 U MBN11251-CR160IF G150/50 U MBN11251-CR180IF G150/50 U MBN11251-CR210IF G150/50 U MBN11251-CR240IF G150/50 U		福特标准: WSS-MTA365-A11 WSS-MTA365-A12 WSS-MTA365-A13 WSS-MTA365-A14 WSS-MTA365-A15 WSS-MTA365-A20 WSS-MTA365-A21 WSS-MTA365-A22 WSS-MTA365-A23 WSS-MTA367-A11 WSS-MTA367-A12 WSS-MTA367-A13 WSS-MTA367-A14 WSS-MTA367-A21 WSS-MTA367-A22 WSS-MTA367-A23 WSS-MTA367-A24 WSS-MTA367-A25 WSS-MTA367-A33 WSS-MTA367-A34 WSS-MTA367-A35 WSS-MTA367-A36 WSS-MTA367-A37 WSS-MTA367-A38 WSS-MTA367-A39 WSS-MTA367-A44 WSS-MTA367-A45 WSS-MTA367-A46 WSS-MTA367-A47 WSS-MTA367-A48 WSS-MTA367-A49 WSS-MTA367-A50 WSS-MTA367-A51 WSS-MTA367-A52 WSS-MTA368-A11 WSS-MTA368-A12 WSS-MTA368-A13 WSS-MTA368-A14 WSS-MTA368-A15 WSS-MTA368-A21 WSS-MTA368-A22 WSS-MTA368-A23		奔驰标准部分酸洗: MBN11251-HR700MC MBN11251-HR550MC MBN11251-HR500MC MBN11251-HR460MC MBN11251-HR420MC MBN11251-HR340MC MBN11251-HR300MC MBN11251-HR500LA MBN11251-HR460LA MBN11251-HR420LA MBN11251-HR340LA MBN11251-HR300LA		福特标准: WSS-MTA368-A24 WSS-MTA368-A25 WSS-MTA368-A31 WSS-MTA368-A32 WSS-MTA368-A31 WSS-MTA368-A42 WSS-MTA368-A43 WSS-MTA368-A51 WSS-MTA368-A52 WSS-MTA368-A53 WSS-MTA368-A61 WSS-MTA368-A62 WSS-MTA368-A71 WSS-MTA368-A72 WSS-MTA368-A81 WSS-MTA368-A82 WSS-MTA368-A83 WSS-MTA368-A84 WSS-MTA368-A91 WSS-MTA368-A92		TM-2011-CR1-140-270-S TM-2011-CR2-140-270-S TM-2011-CR3-140-270-S TM-2011-CR4-140-270-S TM-2011-CR5-110-260-S TM-2011-HR3-180-270-S TM-2011-HR3-180-270-S TM-2011-CR-180-290-BH-S TM-2011-CR-180-290-BH-S TM-2011-CR-240-340-BH-S TM-2011-CR-300-390-BH-S TM-2011-CR-340-410-LA-S TM-2011-CR-420-480-LA-S TM-2011-CR-460-520-LA-S TM-2011-CR-500-560-LA-S TM-2011-CR-550-650-LA-S TM-2011-CR-340-420-LA-S TM-2011-HR-420-480-LA-S TM-2011-HR-460-520-LA-S TM-2011-HR-500-560-LA-S TM-2011-HR-550-610-LA-S TM-2011-HR-650-700-LA-S TM-2011-HR-660-780-LA-S TM-2011-HR-700-750-LA-S TM-2011-CR-420-590-CMN-S TM-2011-HR-420-590-CMN-S TM-2011-CR-290-490-DP-S TM-2011-CR-330-590-DP-S TM-2011-CR-440-780-DP-S TM-2011-CR-590-980-DP-S TM-2011-CR-700-980-DP-S TM-2011-CR-900-1180-DP-S TM-2011-CR-1150-1270-DP-S TM-2011-HR-330-580-DP-S TM-2011-CR-400-690-TR-S TM-2011-CR-450-780-TR-S TM-2011-CR-600-980-TR-S TM-2011-CR-850-1180-TR-S TM-2011-CR-570-780-CP-S TM-2011-CR-600-980-CP-S TM-2011-CR-850-1180-CP-S TM-2011-CR-1050-1300-MS-S TM-2011-CR-1200-1500-MS-S TM-2011-CR1350-1700-MS-S TM-2011-HR-900-1180-MS-S

PRODUCT GRADE

本钢	美标ASTM	国标GB	日标JIS	热轧	酸洗宝钢
200系列	201	12Cr17Mn6Ni5N	SUS201	SAPH310	QStE340TM
	202	12Cr18Mn9Ni5N	SUS202	SAPH370	QStE380TM
				SAPH400	QStE420TM
300系列	304	06Cr19Ni10	SUS304	SAPH440	QStE460TM
	304L	022Cr19Ni10	SUS304L	B320L	QStE500TM
	321	06Cr18Ni11Ti	SUS321	B420L	QStE550TM
	316	06Cr17Ni12Mo2	SUS316	B440L	QStE600TM
	316L	022Cr17Ni12Mo2	SUS316L	B510L	QStE650TM
	309	06Cr23Ni13	SUS309	B550L	QStE700TM
				B590L	S315MC
400系列	409L	022Cr11Ti	SUS409L	B610L(B600L)	S355MC
	410	12Cr13	SUS410	B650L	S420MC
	410S	0Cr13	SUS410S	B700L	S460MC
	430	10Cr17	SUS430		S500MC
	444	019Cr19Mo2NbTi	SUS444		S550MC
吉利标准	AA	GB/T 33227	诺贝爾Novelis	神戶制鐵Kobe Steel	
6000-S	6016/6022	6016-S	S200	6K21-S	S600MC
6000-1H	6014/6016/6022	6014-IH6016-IH	e170le200	6K21-IH	S700MC
6000-IBR	6016/6022/6451	6016-IBR/6022-IBR	S200	6K21-IBR	CP800
6000-HS	6451/6181/6111	6181-HS/6111-HS	S600/S615	6C32-HS	BR600/780HE
5000-S	5182	-	-	KS5182	
5000-RSS	5182	5182-RSS	KS5182-RSS		
5000-ST	5754	5754	S5754	KS5754	

PRODUCT CERTIFICATION



MACHINE & WAREHOUSING

2 Slitting Lines

2 Cut-to-Length Lines

01

Machining Equipment

02

03

1 set of 630T Press for blanking & Feeder

1 Laser Welding


Warehousing

- Floor Space: 12000 m²
- Stocks: 80,000 Ton



LEVELING SHEARING PRODUCTION LINE

Slitting Lines	Machining Thickness	Machining Width
1	0.3mm – 3.0mm	20mm – 1600mm
2	0.3mm – 10mm	20mm – 2000mm






SLITTING SHEARING PRODUCTION LINE

Cut-to-Length Lines	Machining Thickness	Machining Width	Machining Length
1	0.3mm – 3.0mm	50mm – 1650mm	250mm – 4000mm
2	0.5mm – 10mm	50mm – 1300mm	250mm – 4000mm



FLAME CUTTING PRODUCTION LINE

Laser Welding	Machining Thickness	Machining Width	Machining Length
1	0.5mm – 3.2mm	500mm – 900mm/1500mm	80mm – 650mm





LARGE PUNCH TRAPEZOIDAL SHEARING



压	吨	工作台尺寸 (长*宽, 毫米)	断续器
1	630	4000*2000	20--40

WAREHOUSING



Address

Baoshan, Shanghai



Space

12000M²



Stock

80000T



LONG-TERM PARTNER

Steel 、 Stainless Steel



Aluminum



CUSTOMERS

